

Notified body No. 1121

Warrington Certification Limited, Holmesfield Road, Warrington, Cheshire, WA1 2DS, UK

## Certificate of constancy of performance

1121-CPR-CA5012

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

### Cleartherm Sealed Units Ltd Incorporating Pilkington Pyrodur<sup>®</sup> or Pyrodur<sup>®</sup> Plus processed and supplied by Pilkington Nottingham

Intended use: Fire Resistant Insulating Glass Units to be used in buildings and construction works

Essential Characteristics ( as declared by manufacturer placing product on the market)				
Product	AVCP System	Classification Fire resistance (EN 13501-2)	Classification Bullet resistance (EN 1063)	Classification Explosion resistance (EN 13541)
Pilkington Pyrodur <sup>®</sup>	1	EW30/E30	NPD	NPD
Pilkington Pyrodur <sup>®</sup>		EW30/E115	NPD	NPD
Pilkington Pyrodur <sup>®</sup>	1	EW30/E120	NPD	NPD
Pilkington Pyrodur <sup>®</sup>	1	EW60/E115	NPD	NPD
Pilkington Pyrodur <sup>®</sup>	1	EW60/E145	NPD	NPD
Pilkington Pyrodur <sup>®</sup>	1	EW60/E60	NPD	NPD
Pilkington Pyrodur <sup>®</sup> Plus	1	EW30/E115	NPD	NPD