

Notified Body No. 2812

## Certificate of Constancy of Performance

**2812-CPR-CA5012**

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

### **Cleartherm Sealed Units Ltd Incorporating Pilkington Pyrodur® or Pyrodur® Plus processed and supplied by Pilkington Nottingham**

**Intended use: Fire Resistant Insulating Glass Units to be used in buildings and construction works**

#### **Essential Characteristics ( as declared by manufacturer placing product on the market)**

<b>Product</b>	<b>AVCP System</b>	<b>Classification Fire resistance (EN 13501-2)</b>	<b>Classification Bullet resistance (EN 1063)</b>	<b>Classification Explosion resistance (EN 13541)</b>
Pilkington Pyrodur®	1	EW30/E30	NPD	NPD
Pilkington Pyrodur®		EW30/E115	NPD	NPD
Pilkington Pyrodur®	1	EW30/E120	NPD	NPD
Pilkington Pyrodur®	1	EW60/E115	NPD	NPD
Pilkington Pyrodur®	1	EW60/E145	NPD	NPD
Pilkington Pyrodur®	1	EW60/E60	NPD	NPD
Pilkington Pyrodur® Plus	1	EW30/E115	NPD	NPD

## Certificate of Constancy of Performance

**2812-CPR-CA5012**

Placed on the market under the name of

**Cleartherm Glass Sealed Units Ltd  
125a/b Barkby Road, Leicester,  
LE4 9LG  
United Kingdom**

and produced in the manufacturing plant

**C/003**

**This is coded form and the information is held by the Notified Body.**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

**EN 1279-5:2005+A2:2010**

Under System 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on **23/09/2020** and re-issued on **10/11/2022** and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, or unless suspended or withdrawn by the Notified Product Certification Body.

CE Marking certificate valid to: **09/02/2023**

ERO Project Reference: **EROWF10176**



Paul Duggan  
Certification Manager

CSF408-NL 7.0